












AISI 304







Articolo	d	L	D	Nr. Pezzi x conf	 mm	 min-max		
939YINOX	3	6	6	1000	3.1	0.5÷3	200 (1960N)	190 (1860N)
939WINOX		8		1000		4÷5		
939ZINOX		10		1000		6÷7		
939XINOX		12		500		8÷9		
939AINOX	3.2	6	6.5	1000	3.3	0.5÷2.5	260 (2548N)	250 (2450N)
939BINOX		8		1000		2.5÷4.5		
939CINOX		10		1000		4.5÷6.5		
939DINOX		12		500		6.5÷8.5		
939EINOX	4	6	8	500	4.1	0.5÷2	360 (3528N)	320 (3136N)
939FINOX		8		500		2÷4		
939GINOX		10		500		4÷6		
939HINOX		12		500		6÷8		
939KINOX		14		500		8÷10		
939LINOX		16		500		10÷12		
939MINOX	4.8	8	9	500	5	1.5÷3.5	615 (6033N)	505 (4312N)
939NINOX		10		500		3.5÷5.5		
939PINOX		12		500		5.5÷7.5		
939QINOX		14		500		7.5÷9.5		
939RINOX		16		500		9.5÷11.5		
939SINOX		18		500		11.5÷13.5		
939TINOX		20		500		13.5÷15.5		
939UINOX		25		500		15.5÷20.5		
939VINOX		30		500		20.5÷25.5		
9396412		6.4		12		12		
9396415	15		500	7÷10				
9396418	18		500	10÷13				
9396422	22		500	13÷17				

Art. 939
RIVETTI TUTTO INOX



Articolo	d	L	D	Nr. Pezzi x conf	 mm	 min=max		
939AINOXA4	3.2	6	6.5	1000	3.3	0.5÷2.5	280 Kg (2750N)	244 Kg (2400N)
939BINOXA4		8		1000		2.5÷4.5		
939CINOXA4		10		1000		4.5÷6.5		
939DINOXA4		12		1000		6.5÷8.5		
939FINOXA4	4	8	8	500	4.1	2÷4	418 Kg (4100N)	346 Kg (3400N)
939GINOXA4		10		500		4÷6		
939HINOXA4		12		500		6÷8		
939KINOXA4		14		500		8÷10		
939NINOXA4	4.8	10	9	500	5	3.5÷5.5	601 Kg (5900N)	525 Kg (5150N)
939PINOXA4		12		500		5.5÷7.5		
939QINOXA4		14		500		7.5÷9.5		
939RINOXA4		16		500		9.5÷11.5		





Art. 939TL
RIVETTI TUTTO INOX A TESTA LARGA


Articolo	d	L	D	Nr. Pezzi x conf	 mm	 min=max		
939TL510	4.8	10	14	500	5	3.5÷5.5	611 Kg (6000N)	530 Kg (5200N)
939TL512		12		500		5.5÷7.5		
939TL514		14		500		7.5÷9.5		
939TL516		16		500		9.5÷11.5		
939TL518		18		500		11.5÷13.5		

RIVETTI INOX

AISI 304



Articolo	d	L	D	K	Nr. Pezzi x conf	 mm	 min÷max		
939TS326	3.2	6	6.5	1	1000	3.3	2.0÷2.5	275 Kg (2700N)	239 Kg (2350N)
939TS328		8			2.5÷4.5				
939TS3210		10			4.5÷6.5				
939TS48	4	8	8	1.3	500	4.1	3÷4	428 Kg (4200N)	372 Kg (3650N)
939TS410		10			4÷6				
939TS412		12			6÷8				
939TS414		14			8÷10				
939TS58	4.8	8	9	1.5	500	5	3.0÷3.5	611 Kg (6000N)	530 Kg (5200N)
939TS510		10			3.5÷5.5				
939TS512		12			5.5÷7.5				
939TS514		14			7.5÷9.5				